



Direct Vent Fireplace Systems

MAJESTIC 

Direct Vent Fireplace Systems

CDV SERIES

Installing a direct vent fireplace from Majestic is a great way to include elegance and warmth in just about any room in your home. Available in four sizes, the CDV direct vent fireplaces offer up to 795 square inches of viewing area and a range of BTU's from 18,000 to 24,000. With a dedicated top or rear vent design and a number of optional accessories, our CDV fireplaces are the perfect choice for anywhere a warm gathering spot is required.



CDVR36 direct vent fireplace system

Give people a place to gather – make fire the focal point of your room again with the Direct Vent series of fireplaces from Majestic.



CDVR42 direct vent fireplace system



500DVB with Brushed Pewter arched front, black door frame and black fire screen doors



400DVB with black texture Manor surround, rectangular front and Federal doors

Direct Vent Fireplace Systems

DVB SERIES

Not only does a fireplace make a beautiful addition to your home, but a direct vent fireplace from Majestic is an excellent way to heat rooms that seem to remain cold and damp without heating up your entire house. The DVB series of fireplaces offers a classic fireplace design in a range of sizes. Enjoy the flickering flames with viewing areas from 486 to 795 square inches and the warmth of BTU's ranging from 15,000 right up to 26,000. Operating your DVB fireplace is simple with an illustrated deluxe control panel or the Signature Command™ System, now available on all DVB models. All DVB fireplaces come with standard black louvers but choose from a range of optional accessories and finishes to give your Majestic DVB direct vent fireplace a custom look that fits seamlessly into your décor.

Fire, and more, at your fingertips!

SIGNATURE COMMAND™ SYSTEM REMOTE CONTROL.

No other system offers so many available features as the Signature Command™ System, now available on all DVB and DVBL fireplace models. Now, from one hand held, battery controlled remote you can light the pilot and control three step flame adjustment without getting up from your couch. Add on the optional A/C module and even more features are at your fingertips. Enjoy A/C functionality with battery back up, adjust the blower speed, and add up to two additional appliances to the 120 volt auxiliary ports. This allows you to control ceiling fans, waterfalls, room lights, or whatever appliances you choose, from the same remote control.



Direct Vent Fireplace Systems

SOLITAIRE SERIES (DVBL)

As seen on the front cover, the Solitaire DVBL direct vent fireplace system from Majestic offers a new and contemporary clean-face design with no louvers – providing an expansive viewing area. Available with both traditional logs or with our NEW black porcelain liner, stone and glass burner. The Solitaire has become the perfect addition to any modern room. With a variety of firebrick options, and now available with the Signature Command™ System, the Solitaire offers flexibility, warmth and design-forward beauty that's certain to become the heart of your home.



500DVBL direct vent fireplace system



400DVBL direct vent fireplace system with stone and glass burner kit



Stone and glass burner kit



Glass burner kit



Logs shown with black porcelain liner



500DVBL direct vent fireplace system



400DVBH direct vent fireplace system

Direct Vent Fireplace Systems

DVBH SERIES

The classic beauty and style of the DVBH from Majestic is outdone only by its radiant warmth. Standard ceramic glass ensures not only a clear view of the dancing flames, but also even, radiant heat that will keep your home cozy. With a wide variety of options, including Tavern Brown or Cottage Red firebrick and brass, pewter or black trim and louver colors, the DVBH offers flexibility and a custom look that will suit any décor. Available in two sizes with deluxe illustrated control panel, the DVBH from Majestic is as easy to operate as it is to look at. With an 85% CSA efficiency rating and a Limited Lifetime Warranty, the DVBH from Majestic makes it an ideal heat source.



STDVD See-Thru direct vent fireplace system

Direct Vent Fireplace Systems

DESIGNER SERIES

In today's contemporary homes, fireplaces are showing up in all sorts of exciting places such as bathrooms, bedrooms and even as room dividers! Our direct vent Designer Series from Majestic gives you exciting décor options and interesting design applications with Peninsula, See-Thru and Left or Right Corner styles. Plus, with standard Cottage Clay firebrick, louver options and up to 36,000 BTU's, form and function work together to give you an exceptional fireplace performance.



CRDVD Corner direct vent fireplace system



PFDVD Peninsula direct vent fireplace system

STANDARD FEATURES:

- Glowing ceramic fiber logs featuring a patented Natural Flame aluminized pan burner with random dancing flames and large ember bed
- Millivolt with on/off switch and variable flame height control or electronic ignition in natural gas or propane gas
- Natural or propane field convertible
- Flexible connector with On/Off valve included
- Includes 15' of preinstalled millivolt wire with wall switch and cover
- Junction box included for electrical hook up
- Refer to specification sheets for appropriate venting components



Deluxe control panel

CDV:

- Removable unitized black louver assembly for ease of installation
- Available in dedicated rear or top vent units
- Available in four sizes: 33", 36", 42", 47"

DVB:

- Removable unitized black louver assembly for ease of installation
- Consumer friendly deluxe control panel with easy lift off access for blower installation
- Patented field convertible vent technology for venting horizontally or vertically
- Available in four sizes 33," 36," 42," 47"
- Firebrick and faces available
- Available with Signature Command Control

DVBL:

- Contemporary clean face design for full glass appearance
- Available in dedicated top vent units only
- Two sizes to fit your décor: 36" & 42"
- Available with Signature Command Control

DVBH:

- Available 33" & 36" (rear/top convertible) with standard ceramic glass and andirons
- Field convertible vent technology to vent horizontally or vertically, and from natural to propane gas
- Removable unitized louver system for top and bottom
- Illustrated consumer-friendly deluxe control panel with easy lift off capabilities
- Ember bed burner with fiber ceramic logs
- AFUE rated and P4 listed
- Variable Hi/Lo flame control

DESIGNER FIREPLACES:

- Full size 36" hearth opening with large viewing area
- Patented field convertible vent technology for venting horizontally or vertically
- Available in four distinctive styles: See-Thru, Peninsula, Left and Right Corner units
- Standard Tavern Brown firebrick

Optional Accessories

	CDV	DVB	DVBL	DVBH	DESIGNER
Curved trim kits (Brass, Pewter, Black)	X	X		X	
Medium trim kits (Brass, Pewter, Black)	X	X		X	See thru onlu
Louvers (Brass, Pewter)	X	X		X	Peninsula and corners only
Tavern Brown firebrick	X	X	X	X	
Cottage Red firebrick		X	X	X	
Olde English firebrick			X		
Andirons			X		
BLOT, BLOTSC* or FK12 blower	X	X		X	X
BLOTDVBL or BLOTDVSC* blower			X		
Mesh glass cover	X	X	X	X	
Classic faces	X	X		X	See thru only
Manor faces	X	X		X	
Mantels and cabinets	X	X			Peninsula only
Contemporary kits (black porcelain liner, glass and rock, glass only)			X		
Ambient Technologies remote controls	X	X	X	X	X

*Blowers ending in SC are for use with Signature Command System units



BLOT, BLOTSC or FK12 blower variable forced air blower (160 cfm)



BLOTDVBL or BLOTDVBLSC variable thermostat controlled dual forced air blower (160 cfm)



Medium Pewter trim Medium Brass trim Medium Black trim



See our Ambient Technologies® catalog for a complete line of remotes and thermostats.

Louver Options



Pewter Louvers Brass Louvers

Firebrick Options



Tavern Brown firebrick Cottage Red firebrick Olde English firebrick



Andirons for DVBL

Direct Vent Fireplace Systems

Model	CDVR33	CDVT33	CDVR36	CDVT36
BTU / HR	10,000 - 18,000 NG / 10,000 - 18,000 LP	10,000 - 18,000 NG / 10,000 - 18,000 LP	15,000 - 20,000 NG / 15,000 - 20,000 LP	15,000 - 20,000 NG / 15,000 - 20,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	62.6% NG / 64.3% LP	45.9% NG / 53% LP	47.7% NG / 53.6% LP	47.7% NG / 56.1% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	33"W x 31 11/16"H x 13 11/16"D	33"W x 31 11/16"H x 13 11/16"D	37 1/16"W x 34 1/2"H x 15 3/4"D	37 1/16"W x 34 1/2"H x 15 3/4"D
Dimensions (Framing)	33 1/4"W x 35"H x 13 3/4"D	33 1/4"W x 35"H x 13 3/4"D	37 1/2"W x 38 1/8"H x 15 1/4"D	37 1/2"W x 38 1/8"H x 15 1/4"D
Viewing Area	18"H x 27"W (486sq.in.)	18"H x 27"W (486sq.in.)	20 3/8"H x 29"W (591sq.in.)	20 3/8"H x 29"W (591sq.in.)
Blower	Optional	Optional	Optional	Optional
Model	CDVR42	CDVT42	CDVR47	CDVT47
BTU / HR	17,000 - 24,000 NG / 18,000 - 24,000 LP	17,000 - 24,000 NG / 18,000 - 24,000 LP	17,000 - 24,000 NG / 18,000 - 24,000 LP	17,000 - 24,000 NG / 18,000 - 24,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	66.8% NG / 68.7% LP	56.3% NG / 64.3% LP	65.7% NG / 67.1% LP	54.2% NG / 62.4% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	41"W x 34 9/16"H x 15 3/4" D	41"W x 34 9/16"H x 15 3/4" D	41"W x 34 9/16"H x 15 3/4" D	41"W x 34 9/16"H x 15 3/4" D
Dimensions (Framing)	41 1/4"W x 38 1/8"H x 15 1/4" D	41 1/4"W x 38 1/8"H x 15 1/4" D	47 1/4"W x 38 1/8"H x 15 1/4" D	47 1/4"W x 38 1/8"H x 15 1/4" D
Viewing Area	20 3/8" H x 33 1/16"W (674sq.in.)	20 3/8" H x 33 1/16"W (674sq.in.)	20 3/8" H x 39 1/16"W (796sq.in.)	20 3/8" H x 39 1/16"W (796sq.in.)
Blower	Optional	Optional	Optional	Optional
Model	300DVB	400DVB	500DVB	600DVB
BTU / HR	15,000 - 21,000 NG / 15,000 - 21,000 LP	17,000 - 24,000 NG / 17,000 - 24,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	61.8% NG / 55.7% LP	61.1% NG / 60.7% LP	61.3% NG / 60.8% LP	60.1% NG / 60.5% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	33 1/16"W x 37"H x 14"D	37 1/16"W x 40 1/2"H x 16"D	41 1/16"W x 40 1/2"H x 16"D	47 1/16"W x 40 1/2"H x 16"D
Dimensions (Framing)	33 1/2"W x 37 1/4"H x 14"D	37 1/2"W x 40 7/8"H x 16"D	41 1/2"W x 40 7/8"H x 16"D	47 1/2"W x 40 7/8"H x 16"D
Viewing Area	18"H x 27"W (486sq.in.)	20 3/8"H x 29"W (591sq.in.)	20 3/8"H x 33"W (672sq.in.)	20 3/8"H x 39"W (795sq.in.)
Blower	Optional	Optional	Optional	Optional
Model	400DVB	500DVB	300DVBH	400DVBH
BTU / HR	18,000 - 26,000 NG / 18,000 - 26,000 LP	20,000 - 28,000 NG / 20,000 - 28,000 LP	16,000 - 23,000 NG / 18,000 - 23,000 LP	19,000-27,000 NG / 20,000-26,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	63.8% NG / 60.2% LP	61.1% NG / 64.9% LP	65.5% NG / 71.4% LP	67.3 NG/ 70.1 LP
Afue Efficiency	N/A	N/A	Up to 71%	Up to 71%
Thermal Efficiency	Up to 80%	Up to 80%	Up to 85%	UP TO 85%
Dimensions (Actual)	37 1/16"W x 40 5/8"H x 17 9/16"D	41 1/16"W x 40 5/8"H x 17 9/16"D	33 1/16"W x 37"H x 14"D	37 1/16"W x 40 1/2"H x 16"D
Dimensions (Framing)	37 7/16"W x 40 7/8"H x 17 9/16"D	41 7/16"W x 40 7/8"H x 17 9/16"D	33 1/2"W x 37 1/4"H x 14"D	37 1/2"W x 40 7/8"H x 16"D
Viewing Area	26"H x 29"W (754sq.in.)	26"H x 33"W (858sq.in.)	8"H x 27"W (486sq.in.)	20 3/8"H x 29"W (591sq.in.)
Blower	Optional	Optional	Optional	Optional
Model	STDVD	PFDVD	C(R)/(L)DVD	
BTU / HR	25,000 - 36,000 NG / 26,000 - 36,000 LP	25,000 - 36,000 NG / 26,000 - 36,000 LP	25,000 - 36,000 NG / 26,000 - 36,000 LP	
FE Ratings (Cdn. Fireplace Efficiency)	65.1% NG / 73.4% LP	65.1% NG / 73.4% LP	65.1% NG / 73.4% LP	
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	
Dimensions (Actual)	44"W x 40 15/16"H x 23 3/4"D	44"W x 40 15/16"H x 23 3/4"D	44"W x 40 15/16"H x 24 1/2"D	
Dimensions (Framing)	44 1/4"W x 41 1/8"H x 22 3/4"D	43 1/2"W x 41 1/8"H x 22 3/4"D	43 1/2"W x 41 1/8"H x 24"D	
Viewing Area	19 1/2"H x 32 1/4"W (629sq.in.)	19 1/2"H x 32 1/4"W (629sq.in.)	19 1/2"H x 32 1/4"W (629sq.in.)	
Blower	Optional	Optional	Optional	



MAJESTIC

A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.majesticproducts.com

Your Majestic Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2009 Monessen Hearth Systems Co.